



2016 Gila River Indian Community Ambient Air Quality Monitoring Network Review

FAQ Sheet

What is an Ambient Air Quality Monitoring Network Review?

It is a document that describes the air monitoring network for the Community including monitor types, background information, summary of annual monitoring results, and changes and future recommendations to the monitoring network. This annual document identifies the purpose of each monitor and provides evidence that the operation of each monitor meet the requirements in the Federal Regulations. In other words, it fulfills requirements needed for a regulatory air monitoring program.

What are the pollutants monitored in our network?

GRIC Department of Environmental Quality (DEQ) Air Quality Program(AQP) operates air quality monitors that record ambient concentrations of two criteria air pollutants- particulate matter less than or equal to 10 microns (PM₁₀) and ozone (O₃).

What are Criteria Air Pollutants?

Criteria Air Pollutants are those that the United States Environmental Protection Agency (EPA) has defined as a potential risk to human health and the environment. These six common air pollutants include particulate matter, ground-level ozone, carbon monoxide, lead, sulfur dioxide, and nitrogen dioxide. Due to the health risks of these pollutants, EPA has set National Ambient Air Quality Standards (NAAQS) for them.

Why do we only monitor two of the six criteria air pollutants?

The Clean Air Act (CAA) requirements are designed for high population areas and emission sources. Consequently, GRIC and other tribes do not fit all of the CAA monitoring requirements. Furthermore, tribes are not required to conduct ambient air monitoring. GRIC does not monitor for these pollutants because they have been found, through discrete sampling and emission inventories, to be at background ambient (outdoor) air quality concentrations. Additionally, GRIC does not have major stationary pollution sources that emit these particular criteria pollutants that may significantly affect the NAAQS within GRIC jurisdiction.

What is the NAAQS?

The National Ambient Air Quality Standards (NAAQS) are intended to protect public health and welfare by setting limits on the allowable level of each criteria pollutant in the ambient air. These standards, also known as public health standards, were developed through scientific-based studies that indicate the level or concentration of those pollutants in the air that we can safely breathe. The NAAQS for Ozone (O₃) is 0.070 parts per million (ppm) based on the annual fourth-highest daily maximum 8-hr concentration, averaged over 3 years. The NAAQS for PM₁₀ is to not exceed 150 micrograms per cubic meter (µg/m³) more than once per year on average over 3 years.

What is Particulate Matter?

It is particle pollution that comes from many different types of sources. Coarse particles (between 2.5 and 10 micrometers) that GRIC monitors come from crushing and grinding operations, road dust, and



agricultural operations. Particulate matter can be a problem at any time of the year and can cause serious health problems (asthma attacks, heart attacks, and strokes).

What is Ozone?

Ozone is a colorless gas found in the air we breathe. Ozone can be good or bad, depending where it occurs. Good ozone is present in the Earth's upper atmosphere shielding us from the sun's harmful ultraviolet rays. Bad ozone is present at ground level, where we breathe, because it can harm human health. Ozone forms when two types of pollutants (volatile organic compounds and nitrogen oxides) react in sunlight, usually on hot summer days. These pollutants come from sources such as vehicles, industries, power plants, and products like solvents and paints.

Where are the GRIC ambient air monitors located?

There are currently three permanent ambient air monitoring stations within the Community.

1. St. Johns (SJ) (District 6) - located in a residential area by Gila Crossing North Campus school property. This site location monitors for Ozone and PM₁₀.
2. Casa Blanca (CB) (District 5) - located in a residential area within Casa Blanca elementary school property. This site location monitors for PM₁₀.
3. Sacaton (Sac) (District 3) - located near the Ira Hayes Memorial Library at the DEQ headquarters. This site location monitors for Ozone and PM₁₀.


Meteorological data is collected at all three air monitoring sites which include measurements of ambient temperature, barometric pressure, wind speed/direction, relative humidity, and precipitation.

Why are they located there?

Air monitoring sites are strategically based throughout the Community to provide data that meets monitoring objectives: Highest Concentrations, Population Exposure, Source Impacts, Background Concentrations, Regional Transport, and Welfare Impacts. For example, the Casa Blanca site analyzes for PM₁₀ in the agricultural center of the Community and all three monitors are placed in locations within the highest population centers on the Community.

How does the 2016 monitoring data compare with previous years' data?

Prior to 2016, ozone levels were below the 2008 NAAQS of 0.075 ppm. Then on October 1st, 2015, the EPA lowered the 8-hour ozone NAAQS from 0.075 to 0.070 ppm, which was applicable starting with the 2016 data. The air monitoring network continues to show compliance with the new ozone standard as shown in the graph below.





Looking at the PM₁₀ graph above, one can see the PM₁₀ annual average concentrations are below the NAAQS standards of 150 µg/m³ with annual averages measuring around 50 µg/m³ or less. However, this graph includes flagged data for exceptional events in the calculation. An exceptional event is uncontrollable and caused by natural sources of pollution or an event that is not expected to recur at a given location. GRIC experienced multiple days where there were exceedances in the past four years (13 in 2013, 12 in 2014, 5 in 2015, and 15 in 2016) from a combination of the three monitors with some that occurred on the same day at different monitors. However, GRIC has flagged all 45 of the exceedances as exceptional events. Once approved, these data are not used in determining compliance with the NAAQS.

Is the air getting cleaner?

This is a difficult question to answer because there are so many variables to factor in from year-to-year. Based on the ozone graph above, ozone concentrations appear to be on a downward trend. However, ozone on the Community is largely influenced by the Phoenix metropolitan area, day of the week, and weather conditions. A period of hot, stagnant air can easily cause ozone concentrations to become elevated. Similarly, PM₁₀ measurements are influenced by weather and local and upwind activities within the area (such as agriculture and construction). A warmer, drier season means less moisture in the soil, which may make smaller soil particles (e.g., PM₁₀) more susceptible to entrainment at lower wind speeds. Based on the PM₁₀ graph above, the variations in the annual average from year-to-year make trends difficult to determine with any degree of accuracy.

Can we get a monitor in our district?

Regulatory air quality monitors are expensive to operate and maintain. Additionally, the existing air monitoring stations already exceeds the minimum monitoring objectives outlined in Federal regulations. Therefore, there are currently no plans to expand the monitoring network. The Air Quality Program is preparing a mobile monitoring trailer to conduct simultaneous air monitoring at the Sacaton site through the end of 2017. In 2018, pending the availability of resources, the AQP may be able to conduct short-term informational monitoring in other Districts in the Community.

Where can I get additional information?

More information on the Air Monitoring Network Review and Air Quality Program can be found on our website at <http://www.gricdeq.org>. You can also submit comments via email to air@gric.nsn.us by June 30th, 2017.

Gila River Indian Community
Department of Environmental Quality
Air Quality Program
Phone: 520-796-3781
Fax: 520-796-3973
Email: air@gric.nsn.us